

250kW containerised boiler capable of delivering heating & hot water for emergency or planned maintenance, fast, efficient & easy to install, suitable for a variety of applications.

- Gas or Oil fired burner options available for full flexibility & economy
- Oil options can be paired with a small footprint external fuel tank
- Heating & hot water recovery
- Gas options can be connected directly to site supply
- Flexible: compatible with pumps, hose, plate packs & Air Handling Units
- Housed inside a vandal, sound and thermal-proof steel container
- Bespoke built at the Cross Rental Services UK facility
- Internal tool box, spares & instructions for maintenance
- Used in: Public Sector, Construction, Facilities Management
- Can be paired to thermostatically controlled fan coils for flexible delivery of warm air – for events, commercial warehousing & distribution



Detail	General	Heating
Output	100-250kW	
Temperature Range		25-90°C
Fuel Type	Diesel oil/Natural Gas	
Fuel Connections	External Oil Tank or 2" Gas Train	
Fuel Consumption	30 litres/hour (Oil)	
Power Supply	240v 1ph N+E 50Hz	
Running Current	10 amps	
Plug Type	32A 3 Pin BS4343	
Max Working Pressure	10 Bar	
Safety Valves		3/10 Bar
Heat Exchanger		
BMS Outputs	Yes	
Time Clock	Yes	
Frost Protection	Yes	
Flow	6,630 ltrs/hr @ 45°C	
Pump Capacity		11000 litres/hour @ 1 bar
Variable Temperature Control	Yes	
Height of Flue Above Ground	3500mm	
Expansion Vessel		300 litres
DHW Circulation System		
Flexible Hose Connections	Storz Twist Lock	
Water Connections	Flow/Return/Cold Feed	3" Storz
Re-circulation Connection		
Noise Level	45 dBA @ 10 mtrs	
Handling Options	Fork Pockets/4 Point Lifting Eyes	
Weight	1900 kg	
Dimensions (WxDxH in mm)	2400x3000x2400	
Optional Ancillary Equipment	Boost pump - for longer pipe runs	
	Plate pack - for domestic hot water	
	High temperature flexible hose	
	Manifold sets for multiple boiler connection	
	Air handling units for space heating	

Call us now 0808 1691919 for an instant quote